Toxicology Letters, 58 (1991) 357–359
Elsevier

AUTHOR INDEX VOL. 58 (1991)

Abdel-Rahman, M.S., see Kadry, A.M., 337
Abe, K., see Katoh, N., 279
Adam, B.J., see Whiting, P.H., 169
Al-Bekairi, A.M., Shah, A.H., Chaudhry, M.A. and Qureshi, S., Uric acid as an inhibitor of biochemical changes induced by cyclophosphamide in mice, 69
Antoni, F., see Kalapos, M.P., 181

Barbieri, G.P., see Gorla, N.B., 225
Belinsky, S.A., see Brown, P.C., 1
Bernard, A., Schadeck, C., Cardenas, A., Buchet, J.-P. and Lauwerys, R., Potentiation of diabetic glomerulopathy in uninephrectomized rats subchronically exposed to cadmium, 51
Bondy, S.C. and McKee, M., Disruption of the potential across the synaptosomal plasma membrane and mitochondria by neurotoxic agents, 13
Bonner, M.J. and Tilson, H.A., Compensatory alterations in receptor-stimulated phosphoinositide hydrolysis in the hippocampus vary as a function of dose of colchicine, 7
Borroz, K.I., Ramsdell, H.S. and Eaton, D.L., Mouse strain differences in glutathione *S*-transferase activity and aflatoxin B_1 biotransformation, 97
Brown, P.C., Thurman, R.G., Belinsky, S.A. and Kauffman, F.C., Effect of allyl alcohol on xanthine dehydrogenase activity in the perfused rat liver, 1
Buchet, J.-P., see Bernard, A., 51

Cano, N., see Urtizberea, M., 193
Cardenas, A., see Bernard, A., 51
Chaudhry, M.A., see Al-Bekairi, A.M., 69
Chipman, J.K., see Sandhu, P., 43
Coutelier, J.-P., Lison Jr., D., Simon, O. and Willems, J., Effect of sulfur mustard on murine lymphocytes, 143

Early, J.L., see Rasekh, H.R., 199
Eaton, D.L., see Borroz, K.I., 97
Ebisawa, H., see Shishikura, T., 315
Ema, M., Itami, T. and Kawasaki, H., Teratogenicity of di-*n*-butyltin dichloride in rats, 361
Englen, M.D., see Finnell, R.H., 297

Finnell, R.H., Mohl, V.K. and Englen, M.D., In vitro analysis of the murine heat shock response: implications for reproductive toxicology, 297

Garzó, T., see Kalapos, M.P., 181
Gorla, N.B., Ledesma, O.S., Barbieri, G.P. and Larripa, I.B., Lack of sensitivity of sister-chromatid exchange for lymphocyte chromosomal damage detection caused by antichagasic treatment, 225
Govindwar, S., see Mitra, A., 135
Grandgeorge, M., see Urtizberea, M., 193
Gupta, G.S.D., see Khan, M.F., 239

Hasan, N.U., see Whiting, P.H., 169
Hashimoto, K., see Tanii, H., 209, 323
Hata, H., see Nagaya, T., 329
Hayashi, M., see Tanii, H., 323
Helton, D.R., see Williams, P.D., 23
Henderson, R.F., Commentary on 'Cellular and biochemical indices of bronchoalveolar lavage for detection of lung injury following insult by airborne toxicants' by M. Firoze Khan and G.S.D. Gupta, 235
Hojo, H., see Nagumo, A., 309
Huang, H.S., see Jurima-Romet, M., 257, 269

Ilbäck, N.-G., Sundberg, J. and Oskarsson, A., Methyl mercury exposure via placenta and milk impairs natural killer (NK) cell function in newborn rats, 149
Ishikawa, N., see Nagaya, T., 329
Iszard, M.B., see Rasekh, H.R., 199
Itami, T., see Ema, M., 361

Jacobi, H. and Witte, I., Synergistic effects of U46 D Fluid (dimethylammonium salt of 2,4-D) and $CuCl_2$ on cytotoxicity and DNA repair in human fibroblasts, 159

Jurima-Romet, M., Huang, H.S., Paul, C.J. and Thomas, B.H., Enalapril cytotoxicity in primary cultures of rat hepatocytes. I. Effects of cytochrome P450 inducers and inhibitors, 257

Jurima-Romet, M., Huang, H.S., Paul, C.J. and Thomas, B.H., Enalapril cytotoxicity in primary cultures of rat hepatocytes. II. Role of glutathione, 269

Kadry, A.M., Turkall, R.M., Skowronski, G.A. and Abdel-Rahman, M.S., Soil adsorption alters kinetics and bioavailability of trichloroethylene in orally exposed female rats, 337

Kalapos, M.P., Schaff, Z., Garzó, T., Antoni, F. and Mandl, J., Accumulation of phenols in isolated hepatocytes after pretreatment with methylglyoxal, 181

Kasprzak, K.S., see Misra, M., 121

Kato, T., see Masuda, T., 287

Katoh, N., Shimbayashi, K., Abe, K. and Sakurada, K., Decreased estradiol receptor concentrations in ethionine-induced fatty liver of rats, 279

Kauffman, F.C., see Brown, P.C., 1

Kawasaki, H., see Ema, M., 361

Khan, M.F. and Gupta, G.S.D., Cellular and biochemical indices of bronchoalveolar lavage for detection of lung injury following insult by airborne toxicants, 239

Kulkarni, A.P., see Mitra, A., 135

Kuo, T.-L. and Yu, H.-Y., Effect of ethanol on the disposition of paraquat, 107

Larripa, I.B., see Gorla, N.B., 225

Lauwerys, R., see Bernard, A., 51

Law, S.M., see Lee, H., 59

Ledesma, O.S., see Gorla, N.B., 225

Lee, H., Law, S.M. and Lin, S.T., The effect of extraction solvent on the mutagenicity of airborne particles, 59

Lin, S.T., see Lee, H., 59

Lison Jr., D., see Coutelier, J.-P., 143

Mandl, J., see Kalapos, M.P., 181

Masuda, T., Miyasaka, N., Kato, T. and Ueno, Y., Formation of the 8-hydroxydeoxyguanosine moiety in hepatic DNA of mice orally administered with luteoskyrin, a bis-anthraquinoid mycotoxin, 287

McKee, M., see Bondy, S.C., 13

Messiha, F.S., Effects of a secondary and a tertiary amine tricyclic antidepressant on cerebral biogenic amines as a function of mouse strain: a comparative neurotoxicological evaluation, 77

Misra, M., Rodriguez, R.E., North, S.L. and Kasprzak, K.S., Nickel-induced renal lipid peroxidation in different strains of mice: concurrence with nickel effect on antioxidant defense systems, 121

Mitra, A., Govindwar, S. and Kulkarni, A.P., Inhibition of hepatic glutathione-*S*-transferases by fatty acids and fatty acid esters, 135

Miyasaka, N., see Masuda, T., 287

Mohl, V.K., see Finnell, R.H., 297

Nagaya, T., Ishikawa, N., Hata, H. and Otobe, T., Sister-chromatid exchanges in lymphocytes from 12 chromium platers: a 5-year follow-up study, 329

Nagumo, A., Takanashi, K., Hojo, H. and Suzuki, Y., Cytotoxicity of bacteriohopane-32-ol against mouse leukemia L1210 and P388 cells in vitro, 309

Nonavinakere, V.K., see Rasekh, H.R., 199

North, S.L., see Misra, M., 121

Oguro, K., see Shishikura, T., 315

Okayama, A., see Tanii, H., 323

Oskarsson, A., see Ilbäck, N.-G., 149

Otobe, T., see Nagaya, T., 329

Park, J.R. and Tappel, A.L., Protein damage and lipid peroxidation: effects of diethyl maleate, bromotrichloromethane and vitamin E on ammonia, urea and enzymes involved in ammonia metabolism, 29

Paul, C.J., see Jurima-Romet, M., 257, 269

Perdew, G.H., see Swanson, H.I., 95

Potmis, R.A., see Rasekh, H.R., 199

Qureshi, S., see Al-Bekairi, A.M., 69

Ramsdell, H.S., see Borroz, K.I., 97

Rasekh, H.R., Potmis, R.A., Nonavinakere, V.K., Early, J.L. and Iszard, M.B., Effect of selenium on plasma glucose of rats: role of insulin and glucocorticoids, 199

Rodriguez, R.E., see Misra, M., 121

Rouzioux, J.M., see Urtizberea, M., 193

Ruse, M.J. and Waring, R.H., The effect of me-

thimazole on thioamide bioactivation and toxicity, 37

Sabouraud, A., see Urtizberea, M., 193
Sakurada, K., see Katoh, N., 279
Sandhu, P. and Chipman, J.K., Lack of release from hepatocytes in vitro or excretion in vivo of mutagenic chrysoidine metabolites, 43
Sato, F., see Shishikura, T., 315
Schadeck, C., see Bernard, A., 51
Schaff, Z., see Kalapos, M.P., 181
Scherrmann, J.M., see Urtizberea, M., 193
Shah, A.H., see Al-Bekairi, A.M., 69
Shimbayashi, K., see Katoh, N., 279
Shishikura, T., Tsuchiya, T., Sato, F., Oguro, K. and Ebisawa, H., Eosinophilia caused by administration of L-tryptophan to animals with adrenal dysfunction, 315
Simon, O., see Coutelier, J.-P., 143
Skowronski, G.A., see Kadry, A.M., 337
Sundberg, J., see Ilbäck, N.-G., 149
Suzuki, Y., see Nagumo, A., 309
Swanson, H.I. and Perdew, G.H., Detection of the *Ah* receptor in rainbow trout: use of 2-azido-3-[^{125}I]iodo-7,8-dibromodibenzo-*p*-dioxin in cell culture, 95

Takanashi, K., see Nagumo, A., 309
Tanii, H. and Hashimoto, K., In vitro neurotoxicity study with dorsal root ganglia for acrylamide and its derivatives, 209
Tanii, H., Okayama, A., Yamatodani, A., Hayashi, M. and Hashimoto, K., Alterations in the metabolism of serotonin and dopamine in the mouse brain following a single administration of allylnitrile, which induces long-term dyskinesia, 323
Tappel, A.L., see Park, J.R., 29
Tawara, K., see Wagai, N., 215
Thomas, B.H., see Jurima-Romet, M., 257, 269
Thomson, A.W., see Whiting, P.H., 169
Thurman, R.G., see Brown, P.C., 1
Tilson, H.A., see Bonner, M.J., 7
Tsuchiya, T., see Shishikura, T., 315
Turkall, R.M., see Kadry, A.M., 337

Ueno, Y., see Masuda, T., 287
Urtizberea, M., Sabouraud, A., Cano, N., Grandgeorge, M., Rouzioux, J.M. and Scherrmann, J.M., Reversal of murine colchicine toxicity by colchicine- specific Fab fragments, 193

Wagai, N. and Tawara, K., Quinolone antibacterial-agent-induced cutaneous phototoxicity: ear swelling reactions in Balb/c mice, 215
Waring, R.H., see Ruse, M.J., 37
Whiting, P.H., Adam, B.J., Woo, J., Hasan, N.U. and Thomson, A.W., The effect of rapamycin on renal function in the rat: a comparative study with cyclosporine, 169
Willems, J., see Coutelier, J.-P., 143
Williams, P.D. and Helton, D.R., The proconvulsive activity of quinolone antibiotics in an animal model, 23
Witte, I., see Jacobi, H., 159
Woo, J., see Whiting, P.H., 169

Yamatodani, A., see Tanii, H., 323
Yu, H.-Y., see Kuo, T.-L., 107

Toxicology Letters, 58 (1991) 361–362
Elsevier

SUBJECT INDEX VOL. 58 (1991)

Acrylamide, 209
Adrenal dysfunction, 315
Adrenal glands, 199
Aflatoxin B_1, 97
Ah Receptor, 85
Airborne particles, 59
Airborne toxicants, 239
Allyl alcohol, 1
Allylnitrile, 323
Animal model, 23
Antidepressants, 77
Antioxidant enzymes, 121

Benznidazol, 225
Biochemical changes in mice, 69
Biochemical indices, 239
Biotransformation, 97
Brain biogenic amines, 77
Bronchoalveolar lavage, 239

Cadmium–diabetes interaction, 51
Cellular indices, 239
Chagas' disease, 225
Chromium platers, 329
Chrysoidine, 43
Colchicine, 7
Colchicine poisoning, 193
Corticosterone, 199
Cu(II), 159
Cyclophosphamide, 69
Cyclosporine, 169
Cytochrome P-450, 97
Cytochrome P450 induction and inhibition, 257
Cytotoxicity, 159, 257, 269, 309

Di-*n*-butyltin dichloride, 361
2,4-Dichlorophenoxyacetic acid, 159
Dioxin, 95
Dissected brain region, 323
DNA repair, 159
Dopamine, 323
Dorsal root ganglia, 209
Dyskinesia, 323

Electrical potential, 13
Enalapril, 257, 269
Eosinophilia–myalgia syndrome, 315
Estradiol receptor, 279
Ethanol, 107
Ethionamide, 37
Ethionine, 279
Excretion, chrysoidine, 43
Extraction methods, 59

Fab fragments, 193
FAD-containing mono-oxygenase, 37
Fatty acids, 135
Fatty liver, 279
Fetal malformation, 361
Free radicals, 215

Glutathione, 121, 181, 209, 269
Glutathione *S*-transferase, 97, 135

Heat shock proteins, 297
Hepatocyte, 43
Hepatotoxicity, 287
Hepatotoxicity, 37
Herbicide, 107
Hexavalent chromium, 329
Hippocampus, 7
Hopanoid, 309
Human lymphocytes, 329
8-Hydroxydeoxyguanosine, 287
Hyperglycemia, 199
Hyperthermia, 297

Inhibition, glutathione *S*-transferases, 135
Insulin, 199

Lipid peroxidation, 29, 121, 287
Liver, 1, 181
Lung injury, 239
Luteoskyrin, 287
Lymphocyte, 143, 297
Lymphocyte chromosomal damage, 225

Membrane potential, 13

Methyl mercury, 13, 149
Methylglyoxal, 181
Metyrapone, 315
Microalbuminuria, 51
Microtransferrinuria, 51
Mono-oxygenase, 181
Mouse, 97, 143, 215, 323
Mouse strain, 77
Mutagen, 43
Mutagenicity, 59, 329
Mycotoxin, 287

Natural killer cells, 149
Nephropathy, 51
Neural tube defects, 297
Neurotoxicity, 209
Newborn rats, 149
Nickel, 121
Nifurtimox, 225
Nitro-PAH, 59

Organotin, 361
S-Oxidation, 37
Oxidative injury, 1

PAH, 59
Paraquat disposition, 107
Passive immunization, 193
Phosphoinositide hydrolysis , 7
Phototoxicity, 215
Prenatal and postnatal exposure, 149
Protein damage, 29

Quinolone antibiotics, 23
Quinolones, 215

Rainbow trout cell culture, 95
Rapamycin, 169
Rat hepatocyte primary culture, 257, 269
Renal dysfunction, 169

Seizures, 23
Selenium, 199
Serotonin, 323
Sister-chromatid exchange, 225, 329
Soil ingestion, 337
Strain differences, 97
Sulfur mustard, 143
Synergistic effects, 159

Teratogen screening, 297
Teratogenicity, 361
2,3,7,8-Tetrachlorodibenzo-*p*-dioxin, 95
Thioamide, 37
Thionicotinamide, 37
Toluene, 13
Trichloroethylene bioavailability, 337
L-Tryptophan, 315
Tumor cell, 309

U46 D Fluid, 159
Urea cycle enzymes, 29
Uric acid, 69

Vitamin E, 29

Xanthine oxidase, 1